



Excellent area lighting within your budget

Tango G3 - BVP38x

The energy-saving Philips Tango G3 LED Floodlight is the ideal solution for a wide range of Area lighting applications. It incorporates the LED light source, optical system, heat sink and driver into one compact and robust housing that meets globally recognized safety standards. Its specially designed heat sink incorporates aesthetics and functionality to ensure excellent reliability. Powered by LED technology, this luminaire delivers superior performance and a longer lifetime, bringing area lighting to a whole new level.

Benefits

- System efficacy reaches upto 120lm/w, which generates more than 50% in energy savings compared to conventional floodlights. Dimmable feature delivers added power efficiency – light areas when you need to.
- Lifetime reaches 50,000 hours at L70.
- Tool less opening reduces installation and maintenance time, increase the working efficiency and good user experience.
- Optical beam choices (symmetric wide and asymmetric medium) fulfills majority of lighting application needs.
- Along with the 15KV/KA surge protection, the non-corrosive die-cast aluminum housing and steel bracket provide adequate support when the luminaire is installed in harsh environments.

Features


- More energy savings
- Long-lasting
- Easy to install
- Flexibility
- Excellent reliability

Tango G3 - BVP38x


Application

- Area lighting
- Industrial areas
- Façade
- Billboard lighting
- Parking lots
- Ports
- Airports
- Driving ranges
- Parks

Versions



Tango G3BVP38x - 56500 lm -
490 W - 3000 K



Accessories



Tango G3BVP38x - Gray -

Ordercode 911401682607



Ordercode 911401682707,
911401682807

Approval and application

Mech. impact protection code IK08

Controls and dimming

Order Code	Full Product Name	Dimmable
911401614906	BVP384 LED565/WW 490W 220-240V SWB GC	No
911401615006	BVP384 LED565/WW 490W 220-240V AMB GC	No
911401615106	BVP384 LED565/WW 490W 220-240V AWB GC	No
911401615206	BVP384 LED614/NW 490W 220-240V SMB GC	No
911401615306	BVP384 LED614/NW 490W 220-240V SWB GC	No
911401615406	BVP384 LED614/NW 490W 220-240V AMB GC	No
911401615506	BVP384 LED614/NW 490W 220-240V AWB GC	No
911401615606	BVP384 LED614/NW 490W 220-240V NB GC	No
911401615706	BVP384 LED614/CW 490W 220-240V SMB GC	No

Order Code	Full Product Name	Dimmable
911401615806	BVP384 LED614/CW 490W 220-240V SWB GC	No
911401615906	BVP384 LED614/CW 490W 220-240V AMB GC	No
911401616006	BVP384 LED614/CW 490W 220-240V AWB GC	No
911401616106	BVP384 LED614/CW 490W 220-240V NB GC	No
911401616206	BVP384 LED528/840 490W 220-240V AMB GC	No
911401616306	BVP384 LED528/840 490W 220-240V SMB GC	No
911401616406	BVP384 LED528/840 490W 220-240V NB GC	No
911401616506	BVP384 LED528/857 490W 220-240V AMB GC	No
911401616606	BVP384 LED528/857 490W 220-240V SMB GC	No

Tango G3 - BVP38x

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
91140161706	BVP384 LED528/857 490W 220-240V NB GC	No	911401619706	BVP384 LED504/857 480W DMX AMB GM	Yes
911401616806	BVP384 LED565/WW 490W 220-240V SWB GM	No	911401619806	BVP384 LED504/857 480W DMX AWB GM	Yes
911401616906	BVP384 LED565/WW 490W 220-240V AMB GM	No	911401619906	BVP384 LED614/CW 490W 220-240V S6 GC	No
911401617006	BVP384 LED565/WW 490W 220-240V AWB GM	No	911401620006	BVP384 LED528/857 490W 220-240V S6 GC	No
911401617106	BVP384 LED614/NW 490W 220-240V SMB GM	No	911401620106	BVP384 LED614/CW 490W 220-240V S6 GM	No
911401617206	BVP384 LED614/NW 490W 220-240V SWB GM	No	911401620206	BVP384 LED528/857 490W 220-240V S6 GM	No
911401617306	BVP384 LED614/NW 490W 220-240V AMB GM	No	911401620306	BVP384 LED614/CW 490W 220-240V NB L GC	No
911401617406	BVP384 LED614/NW 490W 220-240V AWB GM	No	911401620406	BVP384 LED528/857 490W 220-240V NB L GC	No
911401617506	BVP384 LED614/NW 490W 220-240V NB GM	No	911401620506	BVP384 LED614/CW 490W 220-240V S6 L GC	No
911401617606	BVP384 LED614/CW 490W 220-240V SMB GM	No	911401620606	BVP384 LED528/857 490W 220-240V S6 L GC	No
911401617706	BVP384 LED614/CW 490W 220-240V SWB GM	No	911401620706	BVP384 LED614/CW 490W 220-240V NB L GM	No
911401617806	BVP384 LED614/CW 490W 220-240V AMB GM	No	911401620806	BVP384 LED528/857 490W 220-240V NB L GM	No
911401617906	BVP384 LED614/CW 490W 220-240V AWB GM	No	911401620906	BVP384 LED614/CW 490W 220-240V S6 L GM	No
911401618006	BVP384 LED614/CW 490W 220-240V NB GM	No	911401621006	BVP384 LED528/857 490W 220-240V S6 L GM	No
911401618106	BVP384 LED528/840 490W 220-240V AMB GM	No	911401681607	BVP384 LED725/757 580W 220-240V AMB GC	No
911401618206	BVP384 LED528/840 490W 220-240V SMB GM	No	911401681707	BVP384 LED700/757 580W 220-240V SMB GC	No
911401618306	BVP384 LED528/840 490W 220-240V NB GM	No	911401681807	BVP384 LED733/757 580W 220-240V NB GC	No
911401618406	BVP384 LED528/857 490W 220-240V AMB GM	No	911401681907	BVP384 LED733/757 580W 220-240V S6 GC	No
911401618506	BVP384 LED528/857 490W 220-240V SMB GM	No	911401682007	BVP384 LED725/757 580W 220-240V AMB GM	No
911401618606	BVP384 LED528/857 490W 220-240V NB GM	No	911401682107	BVP384 LED700/757 580W 220-240V SMB GM	No
911401618706	BVP384 LED614/NW 490W AWB P7 GM	Yes	911401682207	BVP384 LED733/757 580W 220-240V NB GM	No
911401619106	BVP384 LED571/CW 435W PSC AMB GC	No	911401682307	BVP384 LED733/757 580W 220-240V S6 GM	No
911401619206	BVP384 LED571/CW 435W PSC AWB GC	No	911401682407	BVP384 LED733/757 580W 220-240V S6 LP P7	Yes
911401619306	BVP384 LED571/CW 435W PSC AMB GM	No	911401682507	BVP384 LED550/957 500W DMX S6 GCGM	No
911401619406	BVP384 LED571/CW 435W PSC AWB GM	No	911401683107	BVP384 LED573/957 580W 220-240V NB GC	No
911401619506	BVP384 LED504/857 480W DMX AMB GC	Yes	911401683207	BVP384 LED573/957 580W 220-240V S6 GC	No
911401619606	BVP384 LED504/857 480W DMX AWB GC	Yes			

General information

Order Code	Full Product Name	CE mark	Light source color	Optical cover/lens type	Driver included	Flammability mark
911401614906	BVP384 LED565/WW 490W 220-240V SWB GC	-	730 warm white	Polycarbonate micro lens optic	Yes	-
911401615006	BVP384 LED565/WW 490W 220-240V AMB GC	-	730 warm white	Polycarbonate micro lens optic	Yes	-
911401615106	BVP384 LED565/WW 490W 220-240V AWB GC	-	730 warm white	Polycarbonate micro lens optic	Yes	-
911401615206	BVP384 LED614/NW 490W 220-240V SMB GC	-	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401615306	BVP384 LED614/NW 490W 220-240V SWB GC	-	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401615406	BVP384 LED614/NW 490W 220-240V AMB GC	-	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401615506	BVP384 LED614/NW 490W 220-240V AWB GC	-	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401615606	BVP384 LED614/NW 490W 220-240V NB GC	-	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401615706	BVP384 LED614/CW 490W 220-240V SMB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401615806	BVP384 LED614/CW 490W 220-240V SWB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401615906	BVP384 LED614/CW 490W 220-240V AMB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401616006	BVP384 LED614/CW 490W 220-240V AWB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401616106	BVP384 LED614/CW 490W 220-240V NB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401616206	BVP384 LED528/840 490W 220-240V AMB GC	-	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401616306	BVP384 LED528/840 490W 220-240V SMB GC	-	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401616406	BVP384 LED528/840 490W 220-240V NB GC	-	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401616506	BVP384 LED528/857 490W 220-240V AMB GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401616606	BVP384 LED528/857 490W 220-240V SMB GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401616706	BVP384 LED528/857 490W 220-240V NB GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401616806	BVP384 LED565/WW 490W 220-240V SWB GM	CE mark	730 warm white	Polycarbonate micro lens optic	Yes	-
911401616906	BVP384 LED565/WW 490W 220-240V AMB GM	CE mark	730 warm white	Polycarbonate micro lens optic	Yes	-

Tango G3 - BVP38x

Order Code	Full Product Name	CE mark	Light source color	Optical cover/lens type	Driver included	Flammability mark
911401617006	BVP384 LED565/WW 490W 220-240V AWB GM	CE mark	730 warm white	Polycarbonate micro lens optic	Yes	-
911401617106	BVP384 LED614/NW 490W 220-240V SMB GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401617206	BVP384 LED614/NW 490W 220-240V SWB GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401617306	BVP384 LED614/NW 490W 220-240V AMB GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401617406	BVP384 LED614/NW 490W 220-240V AWB GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401617506	BVP384 LED614/NW 490W 220-240V NB GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401617606	BVP384 LED614/CW 490W 220-240V SMB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401617706	BVP384 LED614/CW 490W 220-240V SWB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401617806	BVP384 LED614/CW 490W 220-240V AMB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401617906	BVP384 LED614/CW 490W 220-240V AWB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401618006	BVP384 LED614/CW 490W 220-240V NB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401618106	BVP384 LED528/840 490W 220-240V AMB GM	CE mark	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401618206	BVP384 LED528/840 490W 220-240V SMB GM	CE mark	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401618306	BVP384 LED528/840 490W 220-240V NB GM	CE mark	840 neutral white	Polycarbonate micro lens optic	Yes	-
911401618406	BVP384 LED528/857 490W 220-240V AMB GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401618506	BVP384 LED528/857 490W 220-240V SMB GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401618606	BVP384 LED528/857 490W 220-240V NB GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401618706	BVP384 LED614/NW 490W AWB P7 GM	CE mark	740 neutral white	Polycarbonate micro lens optic	Yes	-
911401619106	BVP384 LED571/CW 435W PSC AMB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401619206	BVP384 LED571/CW 435W PSC AWB GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401619306	BVP384 LED571/CW 435W PSC AMB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401619406	BVP384 LED571/CW 435W PSC AWB GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401619506	BVP384 LED504/857 480W DMX AMB GC	-	857 daylight	Polycarbonate micro lens optic	No	-
911401619606	BVP384 LED504/857 480W DMX AWB GC	-	857 daylight	Polycarbonate micro lens optic	No	-
911401619706	BVP384 LED504/857 480W DMX AMB GM	CE mark	857 daylight	Polycarbonate micro lens optic	No	-
911401619806	BVP384 LED504/857 480W DMX AWB GM	CE mark	857 daylight	Polycarbonate micro lens optic	No	-
911401619906	BVP384 LED614/CW 490W 220-240V S6 GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401620006	BVP384 LED528/857 490W 220-240V S6 GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401620106	BVP384 LED614/CW 490W 220-240V S6 GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401620206	BVP384 LED528/857 490W 220-240V S6 GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401620306	BVP384 LED614/CW 490W 220-240V NB L GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401620406	BVP384 LED528/857 490W 220-240V NB L GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401620506	BVP384 LED614/CW 490W 220-240V S6 L GC	-	757 cool white	Polycarbonate micro lens optic	Yes	-
911401620606	BVP384 LED528/857 490W 220-240V S6 L GC	-	857 daylight	Polycarbonate micro lens optic	Yes	-
911401620706	BVP384 LED614/CW 490W 220-240V NB L GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401620806	BVP384 LED528/857 490W 220-240V NB L GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401620906	BVP384 LED614/CW 490W 220-240V S6 L GM	CE mark	757 cool white	Polycarbonate micro lens optic	Yes	-
911401621006	BVP384 LED528/857 490W 220-240V S6 L GM	CE mark	857 daylight	Polycarbonate micro lens optic	Yes	-
911401681607	BVP384 LED725/757 580W 220-240V AMB GC	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401681707	BVP384 LED700/757 580W 220-240V SMB GC	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401681807	BVP384 LED733/757 580W 220-240V NB GC	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401681907	BVP384 LED733/757 580W 220-240V S6 GC	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401682007	BVP384 LED725/757 580W 220-240V AMB GM	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401682107	BVP384 LED700/757 580W 220-240V SMB GM	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401682207	BVP384 LED733/757 580W 220-240V NB GM	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces

Tango G3 - BVP38x

Order Code	Full Product Name	CE mark	Light source color	Optical cover/lens type	Driver included	Flammability mark
911401682307	BVP384 LED733/757 580W 220-240V S6 GM	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401682407	BVP384 LED733/757 580W 220-240V S6 LP P7	CE mark	757 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401682507	BVP384 LED550/957 500W DMX S6 GCGM	CE mark	957 cool white	Polycarbonate	No	For mounting on normally flammable surfaces
911401683107	BVP384 LED573/957 580W 220-240V NB GC	CE mark	957 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces
911401683207	BVP384 LED573/957 580W 220-240V S6 GC	CE mark	957 cool white	Polycarbonate	Yes	For mounting on normally flammable surfaces

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401614906	BVP384 LED565/WW 490W 220-240V SWB GC	3000 K	>70	56500 lm
911401615006	BVP384 LED565/WW 490W 220-240V AMB GC	3000 K	>70	56500 lm
911401615106	BVP384 LED565/WW 490W 220-240V AWB GC	3000 K	>70	56500 lm
911401615206	BVP384 LED614/NW 490W 220-240V SMB GC	4000 K	>70	61400 lm
911401615306	BVP384 LED614/NW 490W 220-240V SWB GC	4000 K	>70	61400 lm
911401615406	BVP384 LED614/NW 490W 220-240V AMB GC	4000 K	>70	61400 lm
911401615506	BVP384 LED614/NW 490W 220-240V AWB GC	4000 K	>70	61400 lm
911401615606	BVP384 LED614/NW 490W 220-240V NB GC	4000 K	>70	61400 lm
911401615706	BVP384 LED614/CW 490W 220-240V SMB GC	5700 K	>70	61400 lm
911401615806	BVP384 LED614/CW 490W 220-240V SWB GC	5700 K	>70	61400 lm
911401615906	BVP384 LED614/CW 490W 220-240V AMB GC	5700 K	>70	61400 lm
911401616006	BVP384 LED614/CW 490W 220-240V AWB GC	5700 K	>70	61400 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401616106	BVP384 LED614/CW 490W 220-240V NB GC	5700 K	>70	61400 lm
911401616206	BVP384 LED528/840 490W 220-240V AMB GC	4000 K	>80	52800 lm
911401616306	BVP384 LED528/840 490W 220-240V SMB GC	4000 K	>80	52800 lm
911401616406	BVP384 LED528/840 490W 220-240V NB GC	4000 K	>80	52800 lm
911401616506	BVP384 LED528/857 490W 220-240V AMB GC	5700 K	>80	52800 lm
911401616606	BVP384 LED528/857 490W 220-240V SMB GC	5700 K	>80	52800 lm
911401616706	BVP384 LED528/857 490W 220-240V NB GC	5700 K	>80	52800 lm
911401616806	BVP384 LED565/WW 490W 220-240V SWB GM	3000 K	>70	56500 lm
911401616906	BVP384 LED565/WW 490W 220-240V AMB GM	3000 K	>70	56500 lm
911401617006	BVP384 LED565/WW 490W 220-240V AWB GM	3000 K	>70	61400 lm
911401617106	BVP384 LED614/NW 490W 220-240V SMB GM	4000 K	>70	61400 lm
911401617206	BVP384 LED614/NW 490W 220-240V SWB GM	4000 K	>70	61400 lm
911401617306	BVP384 LED614/NW 490W 220-240V AMB GM	4000 K	>70	61400 lm

Tango G3 - BVP38x

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401617406	BVP384 LED614/NW 490W 220-240V AWB GM	4000 K	>70	61400 lm
911401617506	BVP384 LED614/NW 490W 220-240V NB GM	4000 K	>70	61400 lm
911401617606	BVP384 LED614/CW 490W 220-240V SMB GM	5700 K	>70	61400 lm
911401617706	BVP384 LED614/CW 490W 220-240V SWB GM	5700 K	>70	61400 lm
911401617806	BVP384 LED614/CW 490W 220-240V AMB GM	5700 K	>70	61400 lm
911401617906	BVP384 LED614/CW 490W 220-240V AWB GM	5700 K	>70	61400 lm
911401618006	BVP384 LED614/CW 490W 220-240V NB GM	5700 K	>70	61400 lm
911401618106	BVP384 LED528/840 490W 220-240V AMB GM	4000 K	>80	52800 lm
911401618206	BVP384 LED528/840 490W 220-240V SMB GM	4000 K	>80	52800 lm
911401618306	BVP384 LED528/840 490W 220-240V NB GM	4000 K	>80	52800 lm
911401618406	BVP384 LED528/857 490W 220-240V AMB GM	5700 K	>80	52800 lm
911401618506	BVP384 LED528/857 490W 220-240V SMB GM	5700 K	>80	52800 lm
911401618606	BVP384 LED528/857 490W 220-240V NB GM	5700 K	>80	52800 lm
911401618706	BVP384 LED614/NW 490W AWB P7 GM	4000 K	>70	61400 lm
911401619106	BVP384 LED571/CW 435W PSC AMB GC	5700 K	>70	57100 lm
911401619206	BVP384 LED571/CW 435W PSC AWB GC	5700 K	>70	57100 lm
911401619306	BVP384 LED571/CW 435W PSC AMB GM	5700 K	>70	57100 lm
911401619406	BVP384 LED571/CW 435W PSC AWB GM	5700 K	>70	57100 lm
911401619506	BVP384 LED504/857 480W DMX AMB GC	5700 K	>80	50400 lm
911401619606	BVP384 LED504/857 480W DMX AWB GC	5700 K	>80	50400 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401619706	BVP384 LED504/857 480W DMX AMB GM	5700 K	>80	50400 lm
911401619806	BVP384 LED504/857 480W DMX AWB GM	5700 K	>80	50400 lm
911401619906	BVP384 LED614/CW 490W 220-240V S6 GC	5700 K	>70	61400 lm
911401620006	BVP384 LED528/857 490W 220-240V S6 GC	5700 K	>80	52800 lm
911401620106	BVP384 LED614/CW 490W 220-240V S6 GM	5700 K	>70	61400 lm
911401620206	BVP384 LED528/857 490W 220-240V S6 GM	5700 K	>80	52800 lm
911401620306	BVP384 LED614/CW 490W 220-240V NB L GC	5700 K	>70	61400 lm
911401620406	BVP384 LED528/857 490W 220-240V NB L GC	5700 K	>80	52800 lm
911401620506	BVP384 LED614/CW 490W 220-240V S6 L GC	5700 K	>70	43000 lm
911401620606	BVP384 LED528/857 490W 220-240V S6 L GC	5700 K	>80	36900 lm
911401620706	BVP384 LED614/CW 490W 220-240V NB L GM	5700 K	>70	61400 lm
911401620806	BVP384 LED528/857 490W 220-240V NB L GM	5700 K	>80	52800 lm
911401620906	BVP384 LED614/CW 490W 220-240V S6 L GM	5700 K	>70	43000 lm
911401621006	BVP384 LED528/857 490W 220-240V S6 L GM	5700 K	>80	36900 lm
911401681607	BVP384 LED725/757 580W 220-240V AMB GC	5700 K	>70	72500 lm
911401681707	BVP384 LED700/757 580W 220-240V SMB GC	5700 K	>70	70000 lm
911401681807	BVP384 LED733/757 580W 220-240V NB GC	5700 K	>70	73300 lm
911401681907	BVP384 LED733/757 580W 220-240V S6 GC	5700 K	>70	73300 lm
911401682007	BVP384 LED725/757 580W 220-240V AMB GM	5700 K	>70	72500 lm
911401682107	BVP384 LED700/757 580W 220-240V SMB GM	5700 K	>70	70000 lm

Tango G3 - BVP38x

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401682207	BVP384 LED733/757 580W 220-240V NB GM	5700 K	>70	73300 lm
911401682307	BVP384 LED733/757 580W 220-240V S6 GM	5700 K	>70	73300 lm
911401682407	BVP384 LED733/757 580W 220-240V S6 LP P7	5700 K	>70	73300 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
911401682507	BVP384 LED550/957 500W DMX S6 GCGM	5700 K	>90	55000 lm
911401683107	BVP384 LED573/957 580W 220-240V NB GC	5700 K	>90	57300 lm
911401683207	BVP384 LED573/957 580W 220-240V S6 GC	5700 K	>90	57300 lm

Mechanical and housing

Order Code	Full Product Name	Color
911401614906	BVP384 LED565/WW 490W 220-240V SWB GC	Aluminum and gray
911401615006	BVP384 LED565/WW 490W 220-240V AMB GC	Aluminum and gray
911401615106	BVP384 LED565/WW 490W 220-240V AWB GC	Aluminum and gray
911401615206	BVP384 LED614/NW 490W 220-240V SMB GC	Aluminum and gray
911401615306	BVP384 LED614/NW 490W 220-240V SWB GC	Aluminum and gray
911401615406	BVP384 LED614/NW 490W 220-240V AMB GC	Aluminum and gray
911401615506	BVP384 LED614/NW 490W 220-240V AWB GC	Aluminum and gray
911401615606	BVP384 LED614/NW 490W 220-240V NB GC	Aluminum and gray
911401615706	BVP384 LED614/CW 490W 220-240V SMB GC	Aluminum and gray
911401615806	BVP384 LED614/CW 490W 220-240V SWB GC	Aluminum and gray
911401615906	BVP384 LED614/CW 490W 220-240V AMB GC	Aluminum and gray
911401616006	BVP384 LED614/CW 490W 220-240V AWB GC	Aluminum and gray
911401616106	BVP384 LED614/CW 490W 220-240V NB GC	Aluminum and gray
911401616206	BVP384 LED528/840 490W 220-240V AMB GC	Aluminum and gray
911401616306	BVP384 LED528/840 490W 220-240V SMB GC	Aluminum and gray
911401616406	BVP384 LED528/840 490W 220-240V NB GC	Aluminum and gray
911401616506	BVP384 LED528/857 490W 220-240V AMB GC	Aluminum and gray
911401616606	BVP384 LED528/857 490W 220-240V SMB GC	Aluminum and gray
911401616706	BVP384 LED528/857 490W 220-240V NB GC	Aluminum and gray
911401616806	BVP384 LED565/WW 490W 220-240V SWB GM	Aluminum and gray
911401616906	BVP384 LED565/WW 490W 220-240V AMB GM	Aluminum and gray
911401617006	BVP384 LED565/WW 490W 220-240V AWB GM	Aluminum and gray
911401617106	BVP384 LED614/NW 490W 220-240V SMB GM	Aluminum and gray
911401617206	BVP384 LED614/NW 490W 220-240V SWB GM	Aluminum and gray
911401617306	BVP384 LED614/NW 490W 220-240V AMB GM	Aluminum and gray
911401617406	BVP384 LED614/NW 490W 220-240V AWB GM	Aluminum and gray
911401617506	BVP384 LED614/NW 490W 220-240V NB GM	Aluminum and gray
911401617606	BVP384 LED614/CW 490W 220-240V SMB GM	Aluminum and gray
911401617706	BVP384 LED614/CW 490W 220-240V SWB GM	Aluminum and gray
911401617806	BVP384 LED614/CW 490W 220-240V AMB GM	Aluminum and gray
911401617906	BVP384 LED614/CW 490W 220-240V AWB GM	Aluminum and gray
911401618006	BVP384 LED614/CW 490W 220-240V NB GM	Aluminum and gray
911401618106	BVP384 LED528/840 490W 220-240V AMB GM	Aluminum and gray
911401618206	BVP384 LED528/840 490W 220-240V SMB GM	Aluminum and gray
911401618306	BVP384 LED528/840 490W 220-240V NB GM	Aluminum and gray
911401618406	BVP384 LED528/857 490W 220-240V AMB GM	Aluminum and gray

Order Code	Full Product Name	Color
911401618506	BVP384 LED528/857 490W 220-240V SMB GM	Aluminum and gray
911401618606	BVP384 LED528/857 490W 220-240V NB GM	Aluminum and gray
911401618706	BVP384 LED614/NW 490W AWB P7 GM	Aluminum and gray
911401619106	BVP384 LED571/CW 435W PSC AMB GC	Aluminum and gray
911401619206	BVP384 LED571/CW 435W PSC AWB GC	Aluminum and gray
911401619306	BVP384 LED571/CW 435W PSC AMB GM	Aluminum and gray
911401619406	BVP384 LED571/CW 435W PSC AWB GM	Aluminum and gray
911401619506	BVP384 LED504/857 480W DMX AMB GC	Aluminum and gray
911401619606	BVP384 LED504/857 480W DMX AWB GC	Aluminum and gray
911401619706	BVP384 LED504/857 480W DMX AMB GM	Aluminum and gray
911401619806	BVP384 LED504/857 480W DMX AWB GM	Aluminum and gray
911401619906	BVP384 LED614/CW 490W 220-240V S6 GC	Aluminum and gray
911401620006	BVP384 LED528/857 490W 220-240V S6 GC	Aluminum and gray
911401620106	BVP384 LED614/CW 490W 220-240V S6 GM	Aluminum and gray
911401620206	BVP384 LED528/857 490W 220-240V S6 GM	Aluminum and gray
911401620306	BVP384 LED614/CW 490W 220-240V NB L GC	Aluminum and gray
911401620406	BVP384 LED528/857 490W 220-240V NB L GC	Aluminum and gray
911401620506	BVP384 LED614/CW 490W 220-240V S6 L GC	Aluminum and gray
911401620606	BVP384 LED528/857 490W 220-240V S6 L GC	Aluminum and gray
911401620706	BVP384 LED614/CW 490W 220-240V NB L GM	Aluminum and gray
911401620806	BVP384 LED528/857 490W 220-240V NB L GM	Aluminum and gray
911401620906	BVP384 LED614/CW 490W 220-240V S6 L GM	Aluminum and gray
911401621006	BVP384 LED528/857 490W 220-240V S6 L GM	Aluminum and gray
911401681607	BVP384 LED725/757 580W 220-240V AMB GC	Gray
911401681707	BVP384 LED700/757 580W 220-240V SMB GC	Gray
911401681807	BVP384 LED733/757 580W 220-240V NB GC	Gray
911401681907	BVP384 LED733/757 580W 220-240V S6 GC	Gray
911401682007	BVP384 LED725/757 580W 220-240V AMB GM	Gray
911401682107	BVP384 LED700/757 580W 220-240V SMB GM	Gray
911401682207	BVP384 LED733/757 580W 220-240V NB GM	Gray
911401682307	BVP384 LED733/757 580W 220-240V S6 GM	Gray
911401682407	BVP384 LED733/757 580W 220-240V S6 LP P7	Gray
911401682507	BVP384 LED550/957 500W DMX S6 GCGM	Gray
911401683107	BVP384 LED573/957 580W 220-240V NB GC	Gray
911401683207	BVP384 LED573/957 580W 220-240V S6 GC	Gray

Tango G3 - BVP38x

